























tel:021/423-221, fax:021/523-458, mail:komelprodaja@mts.rs






SLIKA	MODEL	OPIS	CENA
KOMPLETI ZA JEDNOG KORISNIKA (VIDEX ITALIJA)			
	SMK-1	Ugradni komplet za jednog korisnika na 4 žice	65.00
	SMK-1S	Nazidni komplet za jednog korisnika na 4 žice	80.00
	SLK	Nazidni uski komplet za jednog korisnika metalni antivandal na 4 žice	120.00
	ESK-1S	Nazidni komplet za jednog korisnika na 2 zice	115.00
KOMPLETI ZA DVA KORISNIKA (VIDEX ITALIJA)			
	SMK-2	Ugradni komplet za dva korisnika na 4 zice	85.00
	SMK-2S	Nazidni komplet za dva korisnika na 4 zice	100.00
	VIDX3011/ 3021	Dodatna slušalica za SMK komplete / za 5-žični	16.00
DELOVI ZA INTERFONSKE SISTEME NA N+1 ŽICU (VIDEX ITALIJA)			
	8835-0	Mikrozvučnik bez tastera	78.00
	8835-1	Mikrozvučnik sa jednim tasterom	82.00
	8835-2	Mikrozvučnik sa dva tastera	85.00
	8840	Modul bez tastera	15.00
	8843	Modul sa tri tastera	24.00
	8844	Modul sa četiri tastera	27.00
	8845	Modul sa pet tastera	30.00
	8846	Modul Info	20.00
	3011/3021	Govorni aparat (slušalica)	17.00
	3131	Govorni aparat (slušalica)	20.00









	8851	Ugradne kutije za 1,2 i 3 modula	21.00
	8852		29.00
	8853		35.00
	8874/A	Nadstrešnice za ugradne kutije za 4,6 i 9 modula (zaštita od kiše)	36.00
	8876/A		40.00
	8879/A		55.00
	881	Nazidne kutije za 1,2,3,4,6 i 9 modula	45.00
	882		55.00
	883		80.00
	884		88.50
	886		108.50
	522	Trafo za napajanje interfona	19.00
	502	Preklopni relej za dvoje vrata	60.00















INTERFONSKI KOMPLETI NA N+1 ŽICU (CENA KOMPLETNE OPREME ZA BROJ STANOVA U ŽUTOJ KOLONI)

CENE SU OKVIRNE, MOLIMO VAS NAZOVITE NAS RADI UTVRĐIVANJA TAČNE PONUDE

ELEKTRO I MAGNETNE BRAVE (PROIZVIĐAČ O&C ŠPANIJA)

	32E10L03Z	Električna interfonska brava sa impulsom (smetrična) 12V DC/0.2A	28.00
	31E10L03Z	Električna interfonska brava na podešavanje (smetrična) 12V DC/0.25A	28.00
	3BB10L03Z	Električna interfonska brava na podešavanje sa unutrašnjim impulsom (simetrična) 6-14V AC/DC	29.00
	34F10L03Z	Električna brava simetrična Fail-Safe 24VDC (zatvorena pod naponom)	43.00
	51E10L03Z	Električna interfonska brava na podešavanje (smetrična uska) 12V DC/0.25A	37.00
	52B10L03Z	Električna brava na podešavanje (simetričn uska) 6-14V AC/DC (nema otvoren položaj)	30.00
	53B10L03Z	Električna interfonska brava na podešavanje (simetričn uska) 6-14V AC/DC	34.00
		MEX70	Magnetne brave, drže do 50kg. 12/24VDC Španski proizvođač Openers&Closers.
MBAX70		Nosač za magnetne brave MEX70 Z profil	17.00
MHAX70		Nosač za magnetne brave MEX70 za staklena vrata	12.00
	M-180(LED)	Magnetne brave, drže do 185kg. 12VDC	40.00
	180ZL	Nosač za magnetne brave MEX100 Z profil	17.00
	M-280(LED)	Magnetne brave, drže do 305kg. 12/24VDC	50.00
	280ZL	Nosač za magnetne brave MEX400 Z profil	20.00
	C-STRIKE 5	> Fail safe: Locked when energized > Holding force: 1500kg > Low temperature, time delay and signal feedback > Face plate size: 20.0L x 2.8W x 4.1H (cm) > Strike size: 9.0L x 2.5W x 0.2H (cm) > Operating voltage:	35.00

	C-STRIKE 4	Fail Safe sturdiness Electric Bolt is for Narrow Door with LED	35.00
	D2	Hidraulični automat za zatvaranje vrata	40.00
	D3	Hidraulični automat za zatvaranje vrata	50.00
KONTROLA ULASKA PREKO PRIVEZAKA/KARTICA			
	K30EM.B	Kontrola ulaska sa tastaturom (unutrašnja montaža, plastična) 	15.00
	CL03-H	RFID Hotel Door Lock, Black, * Card: 13.56Mhz Mifare1 * Material: 304 S.S lock body& lock tongue * Opening ways: Cards, Mechanical Key * Battery: 4 Standard AA alkaline batteries * Battery life: Over 15000 cycles * Card reading distance: 2~5cm * Working temperature: -10 -60 * Data keeping: Over 10 years * Gross weight: 2.7Kg	140.00
	CL04-SS	RFID Hotel Door Lock, Brushed Stainless Steel, * Card: 13.56Mhz Mifare1 * Material: 304 S.S lock body& lock tongue * Opening ways: Cards, Mechanical Key * Battery: 4 Standard AA alkaline batteries * Battery life: Over 15000 cycles * Card reading distance: 2~5cm * Working temperature: -10 -60 * Data keeping: Over 10 years * Gross weight: 2.8Kg	100.00
	D290	Tuya Wifi Digital Door Lock, OTISAK PRSTA, ŠIFRA, PRIVEZAK, DALJINSKO OTVARANJE I PROGRAMIRANJE VREMENSKI OGRANIČENE ILI JEDNOKRATNE ŠIFRE	140.00
	D1	CILINDAR NA OTISAK PRSTA ILI PRIVEZAK, BLU TUT OTVARANJE PREKO APLIKACIJE, IZVEŠTAJI OTKLJUČAVANJA VRATA	110.00
	GATEWAY	PREBACA CILINDAR U WIFI UREĐAJ	20.00
	UHF-06	1-5 meters Long distance Card Reader, standard version * Frequency range: 902MHz~928MHz * Protocol: EPC global UHF Class 1GEN 2/ISO18000-6B / ISO18000-6C * Antenna: 8dBi polarization * Identify time: <10ms (single tag) * Reading distance: 1~5meters * Input/output: 1 way trigger relay input * Communication: Wiegand 26 /Wiegand 34,RS232/RS485 * Power supply: DC9~12V , 3A * Antenna power: 1W * Working temperature: -20°C to 60°C * Storage temperature: -40°C to 70°C * Dimension: 232 x 232 x 55mm * Gross weight: 2.5Kg	200.00
	UHF-115-IP	5-15 meters Long distance Card Reader, LAN version, * Frequency range: 902MHz~928MHz * Protocol: EPC global UHF Class 1GEN 2/ISO18000-6B / ISO18000-6C * Antenna: 12dBi polarization * Identify time: <10ms (single tag) * Reading distance: 5~15meters * Input/output: 1 way trigger relay input * Communication: Wiegand 26 /Wiegand 34,RS232/RS485 * Power supply: DC9~12V , 3A * Antenna power: 1W	350.00
	ACB-001	Single-door TCP/IP Door Controller Board, * Pure TCP/IP highly communication (RS485 optional) * One-door Two-way * User Card:20,000 * Event Buffer:100,000 * Input Format of Reader: Wiegand26/34 * Communication: TCP/IP or RS485	80.00

	UHF-05USB	UHF USB Desktop Reader And Writer * Support ISO18000-6C& ISO18000-6B protocol * 860~868MHz, 902~928MHz frequency band * FHSS or Fix Frequency transmission * RF output power up to 13dbm(adjustable) * No external power source needed * Built-in antenna with effect distance up to 200mm * Support USB2.0 interface	120.00
	PS05-5A	*Input: AC220~240V or 110V optional *Output Voltage: DC11-14V/5A *Output Contact: Access control, Electric Lock, Release Button *Time Delay: 0~15sec	35.00
	UHF03B	UHF 915MHz Windshield Tag ALIEN H3/ U8 chip, * coated paper +3M *Size: 110*45 mm *Weight: 10g	2.00
	K2EMC	Kontrola ulaska sa tastaturom (unutrašnja montaža, metalna, silikonski tasteri)	37.00
	K2EMC-W	Kontrola ulaska sa tastaturom (vodootporna, metalna, silikonski tasteri)	40.00
 new	TB2EM	Metal Touch Standalone Controller, EM 125KHz, waterproof	28.00
 new	CC6EM	Zinc Alloy Standalone Keypad, EM 125KHz, dual relays	60.00
 new	T4EM	Kontrola ulaska sa tastaturom (vodootporna, metalna, tač tasteri)	42.00
	MT9EM-W	Metal Standalone Controller without keypad, EM 125KHz, Waterproof* Large capacity: 10000 card users * Support multi users to enter * Add or delete user by using master card * Support adding conductive number cards * Card Type : EM * Working Voltage : DC 12~24V	35.00
	M010EM-W	Kontrola ulaska bez tastature (vodootporna, plastična), * Support data backup	28.00
	K7EM	Kontrola ulaska sa tastaturom (unutrašnja montaža, metalna, tri reda tastera)	30.00
	E1	ČITAČ PRIVEZAKA ZA KONTROLU ULASKA UGRADNI	25.00
	EBOX 1	KUTIJA UGRADNA ZA E1	1.50
	EH3	ČITAČ PRIVEZAKA ZA KONTROLU ULASKA SA ŠIFRATOROM UGRADNI	28.00
	EBOX 3	KUTIJA UGRADNA ZA EH3	1.80

	S8-EM (Metal, EM)	ČITAČ PRIVEZAKA ZA KONTROLU ULASKA METALNI	30.00
	CH3-WiFi EM NEW	WIFI ČITAČ PRIVEZAKA ZA KONTROLU ULASKA , moguća daljinska dodela koda vremenski ograničenog	35.00
	Vcontrol 3-F Weatherproof	WIFI VIDEO INTERFON, ČITAČ PRIVEZAKA ZA KONTROLU ULASKA, OTISAK PRSTA I ŠIFRA	110.00
	Vcontrol 4-F Weatherproof	WIFI VIDEO INTERFON, ČITAČ PRIVEZAKA ZA KONTROLU ULASKA, OTISAK PRSTA	80.00
	TAG03	PRIVEZAK (nema rabata)	0.36
	SBUTTON 200-X	BESKONTAKTNI NAZIDNI TASTER	22.00
	SBUTTON 100-X	BESKONTAKTNI UGRADNI TASTER	17.00
	EB86	Plastični taster za otvaranje interfonске brave	2.50
	EB86MS	Plastični taster za otvaranje interfonске brave (NO-NC)	3.50
	EB88	Plastični taster za otvaranje interfonске brave (NO-NC)	2.50
	EB30	Metalni taster za otvaranje interfonске brave	8.00
	DL-404-3	TROPOLNI KONTAKT ZA VRATA ZA KABEL EL. BRAVE	7.00
CENE SU BEZ PDV-a			